



# Breaking the Assumption of Group Homogeneity in Networks:

## Partitioning Networks with Machine Learning

PAYTON JONES<sup>1</sup>, PATRICK MAIR<sup>1</sup>, THORSTEN SIMON<sup>2</sup>, & ACHIM ZEILEIS<sup>2</sup>


<sup>1</sup>HARVARD UNIVERSITY

<sup>2</sup>UNIVERSITÄT INNSBRUCK





Berkeley

UNIVERSITY OF CALIFORNIA





# English






Engineering

English (20%)




Engineering (40%)

English (20%)




Engineering (40%)







# Atheists




# Believers





No Effect







# Meaningful Subgroups
















# Meaningful Subgroups



Energy loss  
Sadness  
Sympathetic arousal  
Interest loss  
Pleasure loss  
Concentr. problems  
Panic / phobia  
Appetite probl.  
Mid insomnia  
Anxious / tense


# Meaningful Subgroups in Networks



● DSM criterion symptom  
○ Non-DSM symptom

Somatic complaints  
Irritability  
Weight probl.  
Agitation  
Sexual disinterest  
Hypersomnia  
Gastroint. probl.  
Diurnal variation  
Mood quality

# Decision Trees







No

Hallucinations

Yes

Sleep loss

Paranoia



No

Hallucinations

Yes

Sleep loss

Paranoia

Model Based Recursive Partitioning





No

Hallucinations





Yes

Sleep loss


Paranoia




Model Based Recursive Partitioning



# Model Based Recursive Partitioning






# Model Based Recursive Partitioning







# Model Based Recursive Partitioning






# Model Based Recursive Partitioning








# Model Based Recursive Partitioning




# Model Based Recursive Partitioning


$$\frac{dy}{dx} \quad f'(x)$$



# Model Based Recursive Partitioning



$$\frac{dy}{dx} \quad f'(x)$$







No

Hallucinations

Yes

Sleep loss

Paranoia




```
> install.packages("networktree")  
> library(networktree)
```

---


```
> data("workaholic")  
> nodevars <- paste("OCIR",1:18,sep="")  
> splitvars <- c("Workaholism_diagnosis","Gender")
```

---



```
> myTree<- networktree(nodevars=workaholic[,nodevars]  
                        splitvars=workaholic[,splitvars])  
> plot(myTree)
```








# Model Based Recursive Partitioning



$$\frac{dy}{dx} \quad f'(x)$$



# THANK YOU!

## Co-Authors:

Patrick Mair

Achim Zeileis

Thorsten Simon

Learn more about the method:

*networktree* R package

[paytonjones.wordpress.com/networktree](http://paytonjones.wordpress.com/networktree)

